

page 1 of 7 version: 01 print date: 08.04.2025

SECTION 1: Identification of the substance / mixture and of the company / undertaking

1.1 Productidentifiers

Product name VOC/Aromatics - Mix 18
Product number 12150L-1000ME2

REACH No. A registration number is not available for this substance as the substance or its uses are exempted from

registration, the annual tonnage does not require a registration or the registration is envisaged for a later

registration deadline.

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified specific analytics

uses

1.3 Details of the supplier of the safety data sheet

Company NEOCHEMA GmbH

Uwe-Zeidler-Ring 10 55294 Bodenheim, Germany

Telephone +49 6135 933199 0
Fax +49 6135 933199 19
E-Mail info@neochema.com

1.4 Emergency telephone number

Emergency Phone +49 6135 933199 0

This number is only reachable during office hours (Mo - Fr, 08:00 AM - 4:00 PM CET).

SECTION 2: Hazards identification

1 Classification according to Regulation (EC) No 1272/2008

Flam. liq. (category 2), H225

Acute tox. (oral, category 3), H301 Acute tox. (dermal, category 3), H311

Acute tox. (inhalation, category 3), H331

Muta. (category 1A), H340 Carc. (category 1A), H350

Ozone, H420

STOT SE (category 1), H370

Aquatic chronic (category 3), H412

For the full text of the H-Statements mentioned in this Section, see Section 2.2.

2.2 Labelling according Regulation (EC) No 1272/2008

Pictogram







Signal word

Danger

Hazard statements

H225 Highly flammable liquid and vapour.

H340 May cause genetic defects.

H350 May cause cancer.

H370 Causes damage to org

H412 Harmful to aquatic life with long-lasting effects.

H420 Harms public health and the environment by destroying ozone in the upper atmosphere.

H301 + H311 + H331 Toxic if swallowed, in contact with skin or inhaled

Precautionary statements

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.



page 2 of 7 version: 01

print date: 08.04.2025

P233 Keep container tightly closed.

P273 Avoid release to the environment.

P280 Wear protective gloves / protective clothing / eye protection / face pro

P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER / doctor.

P302 + P352 IF ON SKIN: Wash with plenty of water.

P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P308 + P311 If exposed or concerned: Call a POISON CENTER / doctor.

P308 + P313 If exposed: Call a POISON CENTER or doctor / physician.

P370 + P378 In case of fire: Use carbondioxid, sand or extinguishing powder to extinguis

Supplemental Hazard Statements (EU)

None

2.3 Other hazards

This substance/mixture contains the following components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher:

Trichloroethylene

SECTION 3: Composition/information on ingredients

3.1 Substances

This product is a mixture.

3.2 Mixtures

Ingredient: Methanol; CAS-No.: 67-56-1; EG-No.: 200-659-6; REACH-No.: 01-2119433307-44-XXXX; Classification: H225, H301, H311, H331, H370; Flam. Liq 2; Acute Tox. 3; Acute Tox. 3; STOT SE 1; Concentration: >= 90 - <= 100 %

Ingredient: 1,1,1-Trichloroethane; CAS-No.: 71-55-6; EG-No.: k.A.; REACH-No.: k.A.; Clasification: H315, H319, H332, H351, H420; Skin Irrit. 2; Eye Irrit. 2; Acute Tox. 4; Carc. 2; Ozone 1; Concentration: >= 0,1 - < 1%

Ingredient: Benzene; CAS-No.: 71-43-2; EG-No.: 200-753-7; REACH-No.: 01-2119447106-44-XXXX; Clasification: H225, H304, H315, H319, H340, H350, H373, H412; Flam. Liq 2; Asp. Tox. 1; Skin Irrit. 2; Eye Irrit. 2; Muta. 1; Carc. 1; STOT RE 2; Aquatic Chronic 3; Concentration: >= 0.1 - < 1%

Ingredient: 1,4-Dichlorobenzene; CAS-No.: 106-46-7; EG-No.: 203-400-5; REACH-No.: k.A.; Clasification: H319, H351, H410; Eye Irrit. 2; Carc. 2; Aquatic Chronic 1; Concentration: >= 0,1 - < 1%

Ingredient: Trichloroethylene; CAS-No.: 79-01-6; EG-No.: 201-167-4; REACH-No.: k.A.; Clasification: H315, H319, H336, H341, H350, H412; Skin Irrit. 2; Eye Irrit. 2; STOT SE 3; Muta. 2; Carc. 1; Aquatic Chronic 3; Concentration: >= 0,1 - < 1%

Ingredient: Chloroform; CAS-No.: 67-66-3; EG-No.: 200-663-8; REACH-No.: k.A.; Classification: H302, H315, H319, H331, H336, H351, H361, H372; Acute Tox. 4; Skin Irrit. 2; Eye Irrit. 2; Acute Tox. 3; STOT SE 3; Carc. 2; Repr. 2; STOT RE 1; Concentration: >= 0,1 - < 1%

Ingredient: Toluene; CAS-No.: 108-88-3; EG-No.: 203-625-9; REACH-No.: 01-2119471310-51-XXXX; Clasification: H225, H304, H315, H336, H361, H373; Flam. Liq 2; Asp. Tox. 1; Skin Irrit. 2; STOT SE 3; Repr. 2; STOT RE 2; Concentration: >= 0,1 - < 1%

Ingredient: 1,2-Dichlorobenzene; CAS-No.: 95-50-1; EG-No.: 202-425-9; REACH-No.: k.A.; Clasification: H302, H332, H315, H317, H319, H335, H410; Acute Tox. 4; Skin Irrit. 2; Skin Sens. 1; Eye Irrit. 2; Acute Tox. 4; STOT SE 3; Aquatic Chronic 1; Concentration: >= 0,1 - < 1% Ingredient: Tetrachloroethylene; CAS-No.: 127-18-4; EG-No.: 204-825-9; REACH-No.: k.A.; Clasification: H315, H317, H319, H336, H351, H411; Skin Irrit. 2; Skin Sens. 1; Eye Irrit. 2; STOT SE 3; Carc. 2; Aquatic Chronic 2; Concentration: >= 0,1 - < 1%

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures



page 3 of 7 version: 01

print date: 08.04.2025

4.1 Description of first aid measures

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

In case of eye contact

Flush eyes with water as a precaution. Consult a physician.

If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11.

4.3 Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

5.2 Special hazards arising from the substance or mixture

Carbon oxides

5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas. For personal protection see section 8.tt 8.

6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoide

6.3 Methods and materials for containment and cleaning up

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing or collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local regulations (see section 13).

6.4 Reference to other sections

For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Avoid exposure. Avoid contact with skin and eyes. Avoid inhalation of vapour or mist. Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge.

7.2 Conditions for safe storage, including any incompatibilities

Store in cool place. Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

7.3 Specific end uses

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated.

SECTION 8: Exposure controls / personal protection

8.1 Control parameters



page 4 of 7 version: 01

print date: 08.04.2025

Ingredient: Methanol; CAS-No.: 67-56-1; TWA: 200 ppm, 260 mg/m3; AGW: 100 ppm, 130 mg/m3

Ingredient: Benzene; CAS-No.: 71-43-2; TWA: 1 ppm, 3,25 mg/m3; EU occupational exposure limits 0,66 mg/m³ ml/m3

Ingredient: Toluene; CAS-No.: 108-88-3; TWA: 50 ppm, 190 mg/m3, STEL: 100 ppm, 384 mg/m3; AGW: 50 ppm, 190 mg/m3

Ingredient: 1,2-Dichlorobenzene; CAS-No.: 95-50-1; TWA: 20 ppm, 122 mg/m3; STEL: 50 ppm, 306 mg/m3; AGW: 10 ppm, 61 mg/m3

Ingredient: 1,4-Dichlorobenzene; CAS-No.: 106-46-7; TWA: 20 ppm, 122 mg/m3; STEL: 50 ppm, 306 mg/m3; AGW: 1 ppm, 6 mg/m3

Ingredient: Chloroform; CAS-No.: 67-66-3; TWA: 2 ppm, 10 mg/m3; AGW: 0,5 ppm, 2,5 mg/m3

Ingredient: 1,1,1-Trichloroethane; CAS-No.: 71-55-6; AGW: 200 ppm, 1.100 mg/m3; STEL: 200 ppm, 1110 mg/m3; TWA: 100 ppm, 555 mg/m3

Ingredient: Tetrachloroethylene; CAS-No.: 127-18-4; AGW: 10 ppm, 69 mg/m3

8.2 Exposure controls

Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Personal protective equipment

Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands. The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

Body Protection

Impervious clothing, Flame retardant antistatic protective clothing., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoi

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Theses information refer to the main component and are literature values.

a) Physical state liquidb) Color colorless

c) Odor characteristic

d) Melting point/freezing point -97,8 °C

e) Initial boiling point 64,7 °C at 1013 hPa and boiling range

f) Flammability No Data available

g) Upper/lower flammability or upper: 44 %(V); lower: 5,5 %(V) explosive limits

h) Flash point
 j) 7 °C - closed crucible
 i) Autoignition temperature
 455 °C at 1013 hPa

j) Decomposition temperature distillable without decomposition at normal pressure

k) pH No Data available

l) Viscosity kinematic: 0,54 - 0,59 mm2/s at 20 °C; dynamic: > 0,544 - > 0,59 mPa.s at 25 °C

m) Water solubility
 n) Partition coefficient:
 1000 g/l at 20 °C löslich - completely miscible at 20 °C
 log Pow: -0,77 - Bioaccumulation is not expected

n-octanol/water



page 5 of 7 version: 01

print date: 08.04.2025

o) Vapor pressure 169,27 hPa at 25 °C

p) Densitiy 0,79 g/cm3 bi 20 °C

Relative density

q) Relative vapor density 1,11

r) Particle characteristics No Data available

9.2 Other safety information

No data available.

SECTION 10: Stability and reactivity

Theses information refer to the main component.

10.1 Reactivity

No Data available

10.2 Chemical stability

No Data available

10.3 Possibility of hazardous reactions

Risk of explosion with: oxidizing agents, perchloric acid, perchlorates, salts of halogenated oxygen acids, chromium (VI) oxide, halogen oxides, nitrogen oxides, non-metal oxides, chromosulphuric acid, chlorates, hydrides, zinc diethyl, halogens, powdered magnesium, hydrogen peroxide, nitric acid, sulphuric acid, permanganic acid, sodium hypochlorite; exothermic reaction with: acid halides, acid anhydrides, reducing agents, acids, bromine, chlorine, chloroform, magnesium, carbon tetrachloride; risk of ignition or formation of flammable gases or vapors with: fluorine, phosphorus oxides, Raney nickel; development of dangerous gases or vapors with: alkaline earth metals, alkali metals

10.4 Conditions to avoid

No Data available

10.5 Incompatible materials

various plastics, magnesium, zinc alloys

10.6 Hazardous decomposition products

In case of fire: see Chapter 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

No data available for the product.

Acute toxicity

Ingredient: Methanol; CAS-No.: 67-56-1; LD(50) (oral, ATE): 100 mg/kg; (literature); LD(50) (dermal, ATE): 300 mg/kg; (literature); LD(50) (inhalation, ATE): 3 mg/L; (literature);

Ingredient: 1,1,1-Trichloroethane; CAS-No.: 71-55-6; LD(50) (inhalation, ATE): 11 mg/L; (literature);

Ingredient: 1,2-Dichlorobenzene; CAS-No.: 95-50-1; LD(50) (oral, rabbit): 500 mg/kg; (literature); LD(50) (inhalation, ATE): 11 mg/L; (literature);

Ingredient: Chloroform; CAS-No.: 67-66-3; LD(50) (oral, rat): 908 mg/kg; (literature); LD(50) (inhalation, ATE): 3 mg/L; (literature);

ATE-Mix (oral): 102 mg/kg ATE-Mix (dermal): 307 mg/kg ATE-Mix (inhalation): 3 mg/L

Skin corrosion / irritation

The mixture is not classified.

Serious eye damage / eye irritation

The mixture is not classified.

Respiratory or skin sensitisation

The mixture is not classified.

Germ cell mutagenicity

The mixture may cause genetic defects. The classification results from specific concentration limits.

Carcinogenicity

The mixture may cause cancer. The classification results from specific concentration limits.

Reproductive toxicity

The mixture is not classified.



page 6 of 7 version: 01 print date: 08.04.2025

Specific target organ toxicity - single exposure

The mixture is not classified.

Specific target organ toxicity - repeated exposure

The mixture causes damage to organs. The classification results from specific concentration limits.

Aspiration hazard

The mixture is not classified.

SECTION 12: Ecological information

12.1 Toxicity

Ingredient: Trichloroethylene; CAS-No.: 79-01-6; LC/EC(50) (large water flea - 96 h): 18 mg/L; (literature); NOEC(50) (Oryzias latipes - 10 d): 40 mg/L; (literature);

Ingredient: Benzene; CAS-No.: 71-43-2; LC/EC(50) (fathead minnow - 96 h): 15 mg/L; (literature); NOEC(50): No data available.

Ingredient: 1,4-Dichlorobenzene; CAS-No.: 106-46-7; LC/EC(50) (other fish - 10 d): 0,263 mg/L; (literature); NOEC(50) (Cyprinodon variegatus - 96 h): 5,6 mg/L; (literature);

Ingredient: 1,2-Dichlorobenzene; CAS-No.: 95-50-1; LC/EC(50) (water flea - 48 h): 0,66 mg/L; (literature); NOEC(50): No data available.

12.2 Persistence and degradability

No data available.

12.3 Bioaccumulative potential

No data available.

12.4 Mobility in soil

No data available.

12.5 Results of PBT and vPvB assessment

This substance/mixture contains the following components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher:

Trichlorethylen

12.6 Other adverse effects

The mixture harms public health and the environment by destroying ozone in the upper atmosphere. The classification results from specific concentration limits.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company.

Contaminated packaging

Dispose of as unused product.

SECTION 14: Transport information

14.1 UN number

ADR/RID: 1230 IMDG: 1230 IATA: 1230

14.2 UN proper shipping name

ADR/RID: Methanol IMDG: Methanol IATA: Methanol

14.3 Transport hazard classes

ADR/RID: 3 (6.1) IMDG: 3 (6.1) IATA: 3 (6.1)

14.4 Packaging group

ADR/RID: II IMDG: II IATA: II

14.5 Environmental hazards

ADR/RID: no IMDG Marine pollutant: no IATA: no



page 7 of 7 version: 01

print date: 08.04.2025

14.6 Special precautions for user

Tunnel restriction code (D/E)

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

15.2 Chemical Safety Assessment

For this product a chemical safety assessment was not carried out.

SECTION 16: Other information

Further information

Copyright (2025) NEOCHEMA GmbH. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Neochema GmbH shall not be held liable for any damage resulting from handling or from contact with the above product. See www.neochema.com for additional terms and conditions of sale.

Full text of H-Statements referred to under section 3:

H225 - Highly flammable liquid and vapour.

H301 - Toxic if swallowed.

H302 - Harmful if swallowed.

H304 - May be fatal if swallowed and enters airways.

H311 - Toxic in contact with skin.

H315 - Causes skin irritation.

H317 - May cause an allergic skin reaction.

H319 - Causes serious eye irritation.

H331 - Toxic if inhaled

H332 - Harmful if inhaled.

H335 - May cause respiratory irritation.

H336 - May cause drowsiness or dizziness.

H340 - May cause genetic defects.

H341 - Suspected of causing genetic defects.

H350 - May cause cancer.

H351 - Suspected of causing cancer.

H361 - Suspected of damaging fertility or the unborn child.

H370 - Causes damage to organs.

H372 - Causes damage to organs.

H373 - May cause damage to organs.

H410 - Very toxic to aquatic life with long lasting effects.

H411 - Toxic to aquatic life with long lasting effects.

H412 - Harmful to aquatic life with long lasting effects.

H420 - Harms public health and the environment by destroying ozone in the upper atmosphere.