

**SECTION 1: Identification of the substance / mixture and of the company / undertaking****1.1 Product identifiers**

Product name VOC/Aromatics – Mix 8  
Product number 12700LR-1000ME2  
REACH No. A registration number is not available for this substance as the substance or its uses are exempted from registration, the annual tonnage does not require a registration or the registration is envisaged for a later registration deadline.

**1.2 Relevant identified uses of the substance or mixture and uses advised against**

Identified uses specific analytics

**1.3 Details of the supplier of the safety data sheet**

Company NEOCHEMA GmbH  
Uwe-Zeidler-Ring 10  
55294 Bodenheim, Germany  
Telephone +49 6135 933199 0  
Fax +49 6135 933199 19  
E-Mail [info@neochema.com](mailto:info@neochema.com)

**1.4 Emergency telephone number**

Emergency Phone +49 6135 933199 0  
This number is only reachable during office hours (Mo – Fr, 08:00 AM – 4:00 PM CET).

**SECTION 2: Hazards identification****2.1 Classification according to Regulation (EC) No 1272/2008**

Flam. liq. (category 2), H225  
Acute tox. (oral, category 3), H301  
Acute tox. (dermal, category 3), H311  
Acute tox. (inhalation, category 3), H331  
Muta. (category 1A), H340  
Carc. (category 1A), H350  
STOT SE (category 1), H370  
For the full text of the H-Statements mentioned in this Section, see Section 2.2.

**2.2 Labelling according Regulation (EC) No 1272/2008****Pictogram**

Signal word **Danger**

**Hazard statements**

H225 Highly flammable liquid and vapour.  
H340 May cause genetic defects.  
H350 May cause cancer.  
H370 Causes damage to org  
H301 + H311 + H331 Toxic if swallowed, in contact with skin or inhaled

**Precautionary statements**

P201 Obtain special instructions before use.  
P202 Do not handle until all safety precautions have been read  
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
P233 Keep container tightly closed.  
P280 Wear protective gloves / protective clothing / eye protection / face pro  
P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER / doctor.  
P302 + P352 IF ON SKIN: Wash with plenty of water.

P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P308 + P311 If exposed or concerned: Call a POISON CENTER / doctor.

P308 + P313 If exposed: Call a POISON CENTER or doctor / physician.

P370 + P378 In case of fire: Use carbondioxid, sand or extinguishing powder to extinguish

#### Supplemental Hazard Statements (EU)

None

### 2.3 Other hazards

This substance/mixture contains the following components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher:

1,2-Dichloroethane

Trichloroethylene

## SECTION 3: Composition/information on ingredients

### 3.1 Substances

This product is a mixture.

### 3.2 Mixtures

Ingredient: Methanol; CAS-No.: 67-56-1; EG-No.: 200-659-6; REACH-No.: 01-2119433307-44-XXXX; Clasification: H225, H301, H311, H331, H370; Flam. Liq 2; Acute Tox. 3; Acute Tox. 3; Acute Tox. 3; STOT SE 1; Concentration:  $\geq 90 - \leq 100$  %

Ingredient: Trichloroethylene; CAS-No.: 79-01-6; EG-No.: 201-167-4; REACH-No.: k.A.; Clasification: H315, H319, H336, H341, H350, H412; Skin Irrit. 2; Eye Irrit. 2; STOT SE 3; Muta. 2; Carc. 1; Aquatic Chronic 3; Concentration:  $\geq 0,1 - < 1$  %

Ingredient: Benzene; CAS-No.: 71-43-2; EG-No.: 200-753-7; REACH-No.: 01-2119447106-44-XXXX; Clasification: H225, H304, H315, H319, H340, H350, H373, H412; Flam. Liq 2; Asp. Tox. 1; Skin Irrit. 2; Eye Irrit. 2; Muta. 1; Carc. 1; STOT RE 2; Aquatic Chronic 3; Concentration:  $\geq 0,1 - < 1$  %

Ingredient: Tetrachloroethylene; CAS-No.: 127-18-4; EG-No.: 204-825-9; REACH-No.: k.A.; Clasification: H315, H317, H319, H336, H351, H411; Skin Irrit. 2; Skin Sens. 1; Eye Irrit. 2; STOT SE 3; Carc. 2; Aquatic Chronic 2; Concentration:  $\geq 0,1 - < 1$  %

Ingredient: 1,2-Dichloroethane; CAS-No.: 107-06-2; EG-No.: 203-458-1; REACH-No.: 01-2119484658-20-XXXX; Clasification: H225, H302, H315, H319, H331, H335, H350; Flam. Liq 2; Acute Tox. 4; Skin Irrit. 2; Eye Irrit. 2; Acute Tox. 3; STOT SE 3; Carc. 1; Concentration:  $\geq 0,1 - < 1$  %

Ingredient: Chloroform; CAS-No.: 67-66-3; EG-No.: 200-663-8; REACH-No.: k.A.; Clasification: H302, H315, H319, H331, H336, H351, H361, H372; Acute Tox. 4; Skin Irrit. 2; Eye Irrit. 2; Acute Tox. 3; STOT SE 3; Carc. 2; Repr. 2; STOT RE 1; Concentration:  $\geq 0,1 - < 1$  %

Ingredient: Bromoform; CAS-No.: 75-25-2; EG-No.: 200-854-6; REACH-No.: k.A.; Clasification: H302, H315, H319, H331, H411; Acute Tox. 4; Skin Irrit. 2; Eye Irrit. 2; Acute Tox. 3; Aquatic Chronic 2; Concentration:  $\geq 0,1 - < 1$  %

For the full text of the H-Statements mentioned in this Section, see Section 16.

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

#### General advice

Consult a physician. Show this safety data sheet to the doctor in attendance.

#### If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

#### In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

#### In case of eye contact

Flush eyes with water as a precaution. Consult a physician.

#### If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11.

**4.3 Indication of any immediate medical attention and special treatment needed**

No data available

**SECTION 5: Firefighting measures****5.1 Extinguishing media****Suitable extinguishing media**

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

**5.2 Special hazards arising from the substance or mixture**

Carbon oxides

**5.3 Advice for firefighters**

Wear self-contained breathing apparatus for firefighting if necessary.

**SECTION 6: Accidental release measures****6.1 Personal precautions, protective equipment and emergency procedures**

Use personal protective equipment. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas. For personal protection see section 8.tt 8.

**6.2 Environmental precautions**

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

**6.3 Methods and materials for containment and cleaning up**

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing or collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local regulations (see section 13).

**6.4 Reference to other sections**

For disposal see section 13.

**SECTION 7: Handling and storage****7.1 Precautions for safe handling**

Avoid exposure. Avoid contact with skin and eyes. Avoid inhalation of vapour or mist. Keep away from sources of ignition – No smoking. Take measures to prevent the build up of electrostatic charge.

**7.2 Conditions for safe storage, including any incompatibilities**

Store in cool place. Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

**7.3 Specific end uses**

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated.

**SECTION 8: Exposure controls / personal protection****8.1 Control parameters**

Ingredient: Methanol; CAS-No.: 67-56-1; TWA: 200 ppm, 260 mg/m<sup>3</sup>; AGW: 100 ppm, 130 mg/m<sup>3</sup>

Ingredient: Benzene; CAS-No.: 71-43-2; TWA: 1 ppm, 3,25 mg/m<sup>3</sup>; EU occupational exposure limits 0,66 mg/m<sup>3</sup> ml/m<sup>3</sup>

Ingredient: Chloroform; CAS-No.: 67-66-3; TWA: 2 ppm, 10 mg/m<sup>3</sup>; AGW: 0,5 ppm, 2,5 mg/m<sup>3</sup>

Ingredient: Tetrachloroethylene; CAS-No.: 127-18-4; AGW: 10 ppm, 69 mg/m<sup>3</sup>

**8.2 Exposure controls****Appropriate engineering controls**

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

**Personal protective equipment****Eye/face protection**

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

**Skin protection**

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands. The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

splash contact  
material: butyl-rubber  
minimum layer thickness: 0,7 mm  
break through time: > 5 min

#### Body Protection

Impervious clothing, Flame retardant antistatic protective clothing., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

#### Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

#### Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

These information refer to the main component and are literature values.

a) Physical state	liquid
b) Color	colorless
c) Odor	characteristic
d) Melting point/freezing point	-97,8 °C
e) Initial boiling point and boiling range	64,7 °C at 1013 hPa
f) Flammability	No Data available
g) Upper/lower flammability or explosive limits	upper: 44 %(V) ; lower: 5,5 %(V)
h) Flash point	9,7 °C – closed crucible
i) Autoignition temperature	455 °C at 1013 hPa
j) Decomposition temperature	distillable without decomposition at normal pressure
k) pH	No Data available
l) Viscosity	kinematic: 0,54 – 0,59 mm <sup>2</sup> /s at 20 °C ; dynamic: > 0,544 – > 0,59 mPa.s at 25°C
m) Water solubility	1 000 g/l at 20 °C löslich – completely miscible at 20 °C
n) Partition coefficient: n-octanol/water	log Pow: -0,77 – Bioaccumulation is not expected
o) Vapor pressure	169,27 hPa at 25 °C
p) Density Relative density	0,79 g/cm <sup>3</sup> at 20 °C
q) Relative vapor density	1,11
r) Particle characteristics	No Data available

### 9.2 Other safety information

No data available.

## SECTION 10: Stability and reactivity

These information refer to the main component.

### 10.1 Reactivity

No Data available

## 10.2 Chemical stability

No Data available

## 10.3 Possibility of hazardous reactions

Risk of explosion with: oxidizing agents, perchloric acid, perchlorates, salts of halogenated oxygen acids, chromium (VI) oxide, halogen oxides, nitrogen oxides, non-metal oxides, chromosulphuric acid, chlorates, hydrides, zinc diethyl, halogens, powdered magnesium, hydrogen peroxide, nitric acid, sulphuric acid, permanganic acid, sodium hypochlorite; exothermic reaction with: acid halides, acid anhydrides, reducing agents, acids, bromine, chlorine, chloroform, magnesium, carbon tetrachloride; risk of ignition or formation of flammable gases or vapors with: fluorine, phosphorus oxides, Raney nickel; development of dangerous gases or vapors with: alkaline earth metals, alkali metals

## 10.4 Conditions to avoid

No Data available

## 10.5 Incompatible materials

various plastics, magnesium, zinc alloys

## 10.6 Hazardous decomposition products

In case of fire: see Chapter 5

# SECTION 11: Toxicological information

## 11.1 Information on toxicological effects

No data available for the product.

### Acute toxicity

Ingredient: Methanol; CAS-No.: 67-56-1; LD(50) (oral, ATE): 100 mg/kg; (literature); LD(50) (dermal, ATE): 300 mg/kg; (literature); LD(50) (inhalation, ATE): 3 mg/L; (literature);

Ingredient: 1,2-Dichloroethane; CAS-No.: 107-06-2; LD(50) (oral, rat): 670 mg/kg; (literature); LD(50) (inhalation, rat): 3,879 mg/L; (literature);

Ingredient: Chloroform; CAS-No.: 67-66-3; LD(50) (oral, rat): 908 mg/kg; (literature); LD(50) (inhalation, ATE): 3 mg/L; (literature);

Ingredient: Bromoform; CAS-No.: 75-25-2; LD(50) (oral, rat): 933 mg/kg; (literature); LD(50) (inhalation, mammal): 12,1 mg/L; (literature);

ATE-Mix (oral): 101 mg/kg

ATE-Mix (dermal): 303 mg/kg

ATE-Mix (inhalation): 3 mg/L

### Skin corrosion / irritation

The mixture is not classified.

### Serious eye damage / eye irritation

The mixture is not classified.

### Respiratory or skin sensitisation

The mixture is not classified.

### Germ cell mutagenicity

The mixture may cause genetic defects. The classification results from specific concentration limits.

### Carcinogenicity

The mixture may cause cancer. The classification results from specific concentration limits.

### Reproductive toxicity

The mixture is not classified.

### Specific target organ toxicity – single exposure

The mixture is not classified.

### Specific target organ toxicity – repeated exposure

The mixture causes damage to organs. The classification results from specific concentration limits.

### Aspiration hazard

The mixture is not classified.

# SECTION 12: Ecological information

## 12.1 Toxicity

Ingredient: Trichloroethylene; CAS-No.: 79-01-6; LC/EC(50) (large water flea – 96 h): 18 mg/L; (literature); NOEC(50) (Oryzias latipes – 10 d): 40 mg/L; (literature);

Ingredient: Bromoform; CAS-No.: 75-25-2; LC/EC(50) (cyprinodon – 96 h): 2,9 mg/L; (literature); NOEC(50): No data available.

Ingredient: Benzene; CAS-No.: 71-43-2; LC/EC(50) (fathead minnow – 96 h): 15 mg/L; (literature); NOEC(50): No data available.

#### 12.2 Persistence and degradability

No data available.

#### 12.3 Bioaccumulative potential

No data available.

#### 12.4 Mobility in soil

No data available.

#### 12.5 Results of PBT and vPvB assessment

This substance/mixture contains the following components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher:

1,2-Dichlorethan

Trichlorethylen

#### 12.6 Other adverse effects

No data available

### SECTION 13: Disposal considerations

#### 13.1 Waste treatment methods

##### Product

Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company.

##### Contaminated packaging

Dispose of as unused product.

### SECTION 14: Transport information

#### 14.1 UN number

ADR/RID: 1230

IMDG: 1230

IATA: 1230

#### 14.2 UN proper shipping name

ADR/RID: Methanol

IMDG: Methanol

IATA: Methanol

#### 14.3 Transport hazard classes

ADR/RID: 3 (6.1)

IMDG: 3 (6.1)

IATA: 3 (6.1)

#### 14.4 Packaging group

ADR/RID: II

IMDG: II

IATA: II

#### 14.5 Environmental hazards

ADR/RID: no

IMDG Marine pollutant: no

IATA: no

#### 14.6 Special precautions for user

Tunnel restriction code (D/E)

### SECTION 15: Regulatory information

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

#### 15.2 Chemical Safety Assessment

For this product a chemical safety assessment was not carried out.

### SECTION 16: Other information

#### Further information

Copyright (2025) NEOCHEMA GmbH. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to

appropriate safety precautions. It does not represent any guarantee of the properties of the product. Neochema GmbH shall not be held liable for any damage resulting from handling or from contact with the above product. See [www.neochema.com](http://www.neochema.com) for additional terms and conditions of sale.

**Full text of H-Statements referred to under section 3:**

- H225 – Highly flammable liquid and vapour.
- H301 – Toxic if swallowed.
- H302 – Harmful if swallowed.
- H304 – May be fatal if swallowed and enters airways.
- H311 – Toxic in contact with skin.
- H315 – Causes skin irritation.
- H317 – May cause an allergic skin reaction.
- H319 – Causes serious eye irritation.
- H331 – Toxic if inhaled.
- H335 – May cause respiratory irritation.
- H336 – May cause drowsiness or dizziness.
- H340 – May cause genetic defects.
- H341 – Suspected of causing genetic defects.
- H350 – May cause cancer.
- H351 – Suspected of causing cancer.
- H361 – Suspected of damaging fertility or the unborn child.
- H370 – Causes damage to organs.
- H372 – Causes damage to organs.
- H373 – May cause damage to organs.
- H411 – Toxic to aquatic life with long lasting effects.
- H412 – Harmful to aquatic life with long lasting effects.